

according to 29 CFR 1910.1200(g)

## freeprint® splint 2.0 385

Revision date: 12/06/2022 Product code: 1113 Page 1 of 7

## 1. Identification

### **Product identifier**

freeprint® splint 2.0 385

# Recommended use of the chemical and restrictions on use

### Use of the substance/mixture

Light curing one component material for the fabrication of dental splints and guides.

## Details of the supplier of the safety data sheet

Company name: DETAX GmbH
Street: Carl-Zeiss-Straße 4
Place: D-76275 Ettlingen

Telephone: +49 7243/510-0 Telefax: +49 7243/510-100

e-mail: post@detax.com Internet: www.detax.com

Responsible Department: This number is only obtainable during office hours

(Monday - Thursday 8.00 a.m. - 5.00 p.m., Friday 8.00 a.m. - 4.00 p.m.)

Emergency phone number: +1-800-424-9300 (CHEMTREC worldwide)

## 2. Hazard(s) identification

### Classification of the chemical

#### 29 CFR Part 1910.1200

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2A Respiratory or skin sensitization: Skin Sens. 1

Specific target organ toxicity single exposure: STOT SE 3 (respiratory tract irritation)

Hazardous to the aquatic environment: Aquatic Chronic 3

### **Label elements**

#### 29 CFR Part 1910.1200

Signal word: Warning

Pictograms:



## **Hazard statements**

Causes skin irritation

Causes serious eye irritation

May cause an allergic skin reaction

May cause respiratory irritation

Harmful to aquatic life with long lasting effects

# Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water.

Wash contaminated clothing before reuse.

If exposed or concerned: Get medical advice/attention.

Store locked up.



according to 29 CFR 1910.1200(g)

# freeprint® splint 2.0 385

Revision date: 12/06/2022 Product code: 1113 Page 2 of 7

Dispose of contents/ container in accordance with local and national regulations.

### Hazards not otherwise classified

No information available.

# 3. Composition/information on ingredients

### **Mixtures**

#### **Chemical characterization**

Mixture of acrylic/ methacrylic resins with auxilliary matters.

#### **Hazardous components**

CAS No	Components	Quantity
41637-38-1	isopropylidenediphenol peg dimethacrylate	80 - < 100 %
66492-51-1	2-Propenoic acid, (5-ethyl-1,3-dioxan-5-yl)methyl ester	0,1 - < 5 %
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	0,1 - < 5 %

#### 4. First-aid measures

### **Description of first aid measures**

#### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

#### After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

## After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

Seek immediately medical advice. Do not induce vomiting. In case of spontaneous vomiting take care of an unhindered flow out of the vomit (danger of suffocation).

### Most important symptoms and effects, both acute and delayed

No information available.

#### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## 5. Fire-fighting measures

# **Extinguishing media**

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### Specific hazards arising from the chemical

Non-flammable.

### Special protective equipment and precautions for fire-fighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### **Additional information**

Supress gases/vapors/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### 6. Accidental release measures

## Personal precautions, protective equipment and emergency procedures





according to 29 CFR 1910.1200(g)

# freeprint® splint 2.0 385

Revision date: 12/06/2022 Product code: 1113 Page 3 of 7

#### General advice

Provide adequate ventilation. Do not breathe gas/fume/vapor/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### **Environmental precautions**

Do not allow to enter into surface water or drains.

#### Methods and material for containment and cleaning up

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### Reference to other sections

Safe handling: see section 7

Personal protection equipment (PPE): see section 8

Disposal: see section 13

### 7. Handling and storage

#### Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fume/vapor/spray.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink

# Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed.

# Hints on joint storage

Keep away from spontaneous flammable or combustible substances.

### Further information on storage conditions

Keep only in the original container in a dry and well-ventilated place, away from foodstuffs. Keep away from all kind of ligth. An inert gas blanket should not be applied, because the stability of the product depends on the presence of oxygen (air).

# 8. Exposure controls/personal protection

### **Control parameters**

### **Exposure controls**

#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe qas/fume/vapor/spray.

# Individual protection measures, such as personal protective equipment

### Eye/face protection

Suitable eye protection: goggles.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the



according to 29 CFR 1910.1200(g)

## freeprint® splint 2.0 385

Revision date: 12/06/2022 Product code: 1113 Page 4 of 7

supplier of these gloves.

Suitable are gloves of the following material: Butyl caoutchouc (butyl rubber)

# Skin protection

Wear suitable protective clothing.

# Respiratory protection

In case of inadequate ventilation wear respiratory protection.

# 9. Physical and chemical properties

## Information on basic physical and chemical properties

Physical state: liquid: Color: clear

Odor: faintly like esters

Test method

Melting point/freezing point: not determined not determined

Boiling point or initial boiling point and

boiling range:

Flammability

Solid/liquid: not applicable Gas: not applicable Lower explosion limits: not determined Upper explosion limits: not determined

Flash point: >100 °C DIN 51755

Decomposition temperature: >=190 °C pH-Value: not determined

Water solubility: The study does not need to be conducted because the substance is known to be

insoluble in water.

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapor pressure: <1 hPa

(at 20 °C)

Density (at 20 °C): 1,09 g/cm3 DIN 51757

Relative vapour density: not determined

### **Other information**

# Information with regard to physical hazard classes

Self-ignition temperature

Solid: not applicable Gas: not applicable

Oxidizing properties Not oxidizing.

Other safety characteristics

Evaporation rate: not determined Solid content: not determined

# 10. Stability and reactivity

### Reactivity

No hazardous reaction when handled and stored according to provisions.

#### **Chemical stability**

The product is stable under storage at normal ambient temperatures.



according to 29 CFR 1910.1200(g)

# freeprint® splint 2.0 385

Revision date: 12/06/2022 Product code: 1113 Page 5 of 7

## Possibility of hazardous reactions

Reacts with: strong oxidising agents, strong alcaline or acidic materials.

#### **Conditions to avoid**

Ultra-violet ligth and dayligth initiate polymerisation of the product. Therefore keep only in tigthly closed containers away from any sources of ligth at 15°C - 28°C / 59°F - 82 °F.

#### Incompatible materials

No information available.

#### **Hazardous decomposition products**

No known hazardous decomposition products.

## 11. Toxicological information

### Information on toxicological effects

### **Acute toxicity**

Based on available data, the classification criteria are not met.

#### **ATEmix calculated**

ATE (oral) 2684,7 mg/kg; ATE (dermal) 2699,1 mg/kg

CAS No	Components						
	Exposure route	Dose	Species	Source	Method		
41637-38-1	isopropylidenediphenol peg dimethacrylate						
	oral	LD50 >2000 mg/kg	Rat				
	dermal	LD50 >2000 mg/kg	Rat				
66492-51-1	2-Propenoic acid, (5-ethyl-1,3-dioxan-5-yl)methyl ester						
	oral	LD50 >2000 mg/kg	Rat				
	dermal	LD50 2000 mg/kg	Rat				
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide						
	oral	LD50 >5000 mg/kg	Rat				
	dermal	LD50 >2000 mg/kg	Rat				

### Irritation and corrosivity

Causes skin irritation

Causes serious eye irritation

# Sensitizing effects

May cause an allergic skin reaction (2-Propenoic acid, (5-ethyl-1,3-dioxan-5-yl)methyl ester; diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide)

# Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### Specific target organ toxicity (STOT) - single exposure

May cause respiratory irritation

# Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Carcinogenicity (OSHA): No ingredient of this mixture is listed.
Carcinogenicity (IARC): No ingredient of this mixture is listed.
Carcinogenicity (NTP): No ingredient of this mixture is listed.

**DETAX GmbH** 



# **Safety Data Sheet**

according to 29 CFR 1910.1200(g)

## freeprint® splint 2.0 385

Revision date: 12/06/2022 Product code: 1113 Page 6 of 7

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

### 12. Ecological information

### **Ecotoxicity**

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### Persistence and degradability

The product has not been tested.

#### **Bioaccumulative potential**

The product has not been tested.

#### Mobility in soil

The product has not been tested.

#### **Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### Other adverse effects

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

#### 13. Disposal considerations

## Waste treatment methods

## **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

## Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

# 14. Transport information

## Marine transport (IMDG)

UN number or ID number:No dangerous good in sense of this transport regulation.UN proper shipping name:No dangerous good in sense of this transport regulation.Transport hazard class(es):No dangerous good in sense of this transport regulation.Packing group:No dangerous good in sense of this transport regulation.

# Air transport (ICAO-TI/IATA-DGR)

UN number or ID number:No dangerous good in sense of this transport regulation.UN proper shipping name:No dangerous good in sense of this transport regulation.Transport hazard class(es):No dangerous good in sense of this transport regulation.Packing group:No dangerous good in sense of this transport regulation.

### Special precautions for user

No dangerous good in sense of this transport regulation.

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No dangerous good in sense of this transport regulation.

## 15. Regulatory information





according to 29 CFR 1910.1200(g)

## freeprint® splint 2.0 385

Revision date: 12/06/2022 Product code: 1113 Page 7 of 7

# U.S. Regulations

# National regulatory information

SARA Section 311/312 Hazards:

2-Propenoic acid, (5-ethyl-1,3-dioxan-5-yl)methyl ester (66492-51-1): Immediate (acute) health hazard diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (75980-60-8): Immediate (acute) health hazard

## **State Regulations**

# Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

#### 16. Other information

Revision date: 06.12.2022

Revision No: 1,1

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

## Other data

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)